

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/791,564	03/02/2004	Jun-Sang Park	678-1178	3094
66547 7590 12/31/2007 THE FARRELL LAW FIRM, P.C. 333 EARLE OVINGTON BOULEVARD			EXAMINER	
			YOUNG, JANELLE N	
SUITE 701 UNIONDALE,	NY 11553		ART UNIT	PAPER NUMBER
,			2618	
		·		20111122111022
			MAIL DATE	DELIVERY MODE
			12/31/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/791,564	PARK ET AL.				
Office Action Summary	Examiner	Art Unit				
	Janelle N. Young	2618				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address						
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 26 Se	Responsive to communication(s) filed on <u>26 September 2007</u> .					
2a) This action is FINAL . 2b) ⊠ This	This action is FINAL . 2b)⊠ This action is non-final.					
·	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
 4) Claim(s) 1-19 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-19 is/are rejected. 						
7) Claim(s) is/are objected to.		•				
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>25 January 2007</u> is/are: a)□ accepted or b)⊠ objected to by the Examiner.						
Applicant may not request that any objection to the						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
	·					
Attachment(s) 1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Do					
Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	6) Other:	atom, approunds				

Art Unit: 2618

DETAILED ACTION

Response to Arguments

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on September26, 2007 has been entered.

Response to Amendment

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-3, 5, 7-11, 13, 15, and 18-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kfoury (US Patent 6549789) and further in view of Saburi et al. (European Patent Publication 1096771 A1) and further in view of Wada (US Patent 6965413).

As for claims 1 and 8, Saburi et al. teaches a portable terminal (Abstract of Saburi et al.) comprising:

Art Unit: 2618

a first housing; a hinge housing installed at an end of the first housing, for defining a first hinge axis along a width direction of the first housing and a second hinge axis perpendicular to the first hinge axis; and a second housing connected to the first housing by the hinge housing, for rotating about the first hinge axis to an opened state or a closed state with respect to the first housing (Abstract; Col. 4, line 66-Col. 5, line 45; Col. 7, lines 14-65 of Kfoury).

What Kfoury does not explicitly teach is detachable sub-housing on a portable terminal.

However Saburi et al. teaches a portable terminal of comprising: a sub-housing mounted to an outer surface of the first housing and having a camera module along the first hinge axis and a detachable sub-housing mounted to an outer surface of the first housing and having a camera module, wherein an optical axis of the camera module is picture taking device on the side face; which reads on claimed the camera module in a direction, parallel with the first hinge axis (Fig. 6 A & B; Col. 3, lines 36-44; and Col. 6, line 34-Col. 7, line 7 Saburi et al.)

It would have been obvious to one of ordinary skill of the art at the time the invention was made to incorporate a detachable imaging unit to a mobile communication terminal, as taught by Saburi et al., in the portable electronic device of Kfoury, because Kfoury already teaches an adaptable and/or detachable user interface (Col. 7, lines 14-65 of Kfoury).

Art Unit: 2618

What Kfoury and Saburi et al. do not explicitly teach is a portable terminal, further comprising a camera lens at an end of the camera module and a viewfinder at another end of the camera module, wherein an optical axis of the camera module is parallel.

However Wada teaches a portable information processing apparatus; which reads on claimed portable terminal or PDA, wherein the lens of the photographic optical system and a lens barrier for selectively covering the lens are arranged at a longitudinal direction; which reads on claimed camera module comprises a camera lens at an end of the camera module and a viewfinder at another end of the camera module, wherein an optical axis of the camera module is picture taking device on the side face; which reads on claimed the camera module in a direction, parallel (Fig. 5B:11; Abstract; Col. 1, lines 55-59; Col. 2, lines 13-15; and Col. 4, line 64-Col. 5, line 3 of Wada).

It would have been obvious to one of ordinary skill of the art at the time the invention was made to incorporate a longitudinal photographic optical system, as taught by Wada, in the detachable imaging unit of a mobile communication terminal of Saburi et al. and the portable electronic device of Kfoury, because Kfoury already discusses detachable user interfaces applied to pagers, electronic organizers and computers (Col. 7, line 14-Col. 8, line 11 of Kfoury). In addition, Saburi et al. discusses a camera unit that can be rotated changing its capturing direction (Col. 6, lines 46-54 of Saburi et al.).

The motivation of this combination would be the effect of the manufacturing making it easier to market the device with in a plurality of combinations. For instance one device can be manufactured and then simply packaged with a detachable user interface that is directed to a certain consumer, as taught by Kfoury in Col. 7, lines 14-

65, because as demand for multiple user interfaces allows for multiple modes of operation with a single handheld device. The camera module's parallel optical axis and the a longitudinal photographic optical system incorporated in the portable electronic device combination would the user an easier arrangement in holding the apparatus while observing a displayed picture on a LCD.

The incorporation of a detachable imaging unit with portable electronic device would significantly reduces the cost to the manufacture by postponing the customization of the device until the packaging stage. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the video camera of Wada in the upper hinge of Kfoury and/or Saburi et al. portable telephone, so as to obtain a portable telephone having a second photographic camera housed in an axial unit on the side face, while observing a displayed picture (Fig. 5B:11; Abstract; Col. 1, lines 55-59; Col. 2, lines 13-15; and Col. 4, line 64-Col. 5, line 3 of Wada).

As for claims 2 and 10-11, Kfoury teaches a portable terminal, further comprising a built-in battery in the first housing, and a detachable large-capacity battery that can be attached to the first housing in a position formerly occupied by the sub-housing when the sub-housing is removed (Col. 7, lines 58-65 of Kfoury).

As for claims 3 and 13, Kfoury teaches a portable terminal, wherein the hinge housing comprises a center hinge arm at the upper center of the first housing and a pair of side hinge arms protruding from both sides of the hinge housing and combined with the center hinge arm (Abstract; Col. 3, lines 4-51; and Col. 4, line 66-Col. 5, line 45 of Kfoury).

Art Unit: 2618

As for claims 5 and 15, Wada teaches a portable information processing apparatus; which reads on claimed portable terminal or PDA, wherein the lens of the photographic optical system and a lens barrier for selectively covering the lens are arranged at a longitudinal direction; which reads on claimed camera module comprises a camera lens at an end of the camera module and a viewfinder at another end of the camera module (Fig. 5B:11; Abstract; Col. 1, lines 55-59; Col. 2, lines 13-15; and Col. 4, line 64-Col. 5, line 3 of Wada).

As for claim 7, Kfoury teaches a portable terminal, wherein the second hinge housing is rotatable about the second hinge axis, with respect to the first housing (Abstract; Col. 3, lines 4-51; and Col. 4, line 66-Col. 5, line 45 of Kfoury).

As for claim 9, Saburi et al. teaches a portable terminal, wherein the camera module is installed along the first hinge axis with the sub-housing mounted to the first housing, and can be positioned at a desired height and angle when the sub-housing is removed from the first housing (Fig. 6 A & B; Col. 3, lines 36-44; and Col. 6, line 34-Col. 8, line 39 Saburi et al.).

As for claim 18, Saburi et al. teaches a portable terminal, wherein the subhousing further comprises a sound processing section; which reads on claimed microphone, positioned on the outer surface of the sub-housing (Fig. 7:40 and Col. 7, lines 20-28 of Saburi et a.).

As for claim 19, Saburi et al. teaches a portable terminal, wherein the first housing comprises a first connector and the sub-housing further comprises a second connector, for electric connection between the sub-housing and the first housing when

Art Unit: 2618

the sub-housing is mounted to the first housing (Fig. 6 A & B; Col. 3, lines 36-44; and Col. 6, line 34-Col. 8, line 39 Saburi et al.).

3. Claims 4 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kfoury (US Patent 6549789), Saburi et al. (European Patent Publication 1096771 A1), and Wada (US Patent 6965413) as applied to claim 1 above, and further in view of Kim (US Patent 6397078).

What Kfoury, Saburi et al., and Wada do not explicitly teach is a portable terminal, further comprising a touch pen having a protrusion at the top end of the touch pen.

However Kim teaches a portable terminal, further comprising a stencil (Fig. 2:30 & 5:30 of Kim); which reads on claimed touch pen, having a protrusion at the top end of the touch pen, wherein the first housing comprises a hole for receiving the touch pen with the protrusion of the touch pen retained at the entrance of the hole (Col. 2, lines 40-46 and Col. 3, lines 10-20 of Kim)

It would have been obvious to one of ordinary skill of the art at the time the invention was made to incorporate a touch pen, as taught by Kim, in the portable electronic device of Kfoury, because Kfoury already a detachable user interface may be a touch pad (Col. 7, lines 58-65 of Kfoury).

The motivation of the a touch pen incorporated in the portable electronic device combination would allow the user to easily operate the device in PDA mode by using

Art Unit: 2618

the control buttons and by inputting commands using the stencil via the touch-sensitive screen or touch pad (Col. 3, lines 10-20 of Kim).

4. Claims 6, 12, and 16-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kfoury (US Patent 6549789), Saburi et al. (European Patent Publication 1096771 A1), and Wada (US Patent 6965413) as applied to claim 1 above, and further in view of Ikeuchi (US Patent 2003/0092401).

What Kfoury, Saburi et al., and Wada do not explicitly teach is a portable terminal, further comprising of a detachable display unit with short-range communication

However as for claims 6 and 16, Ikeuchi teaches a portable terminal, wherein the sub-housing further comprise: a sub-LCD and at least one operation key arranged on an edge of the sub-housing (Fig. 8:**205**; Page 3, Para 0040; and Page 4, Para 0053 of Ikeuchi).

It would have been obvious to one of ordinary skill of the art at the time the invention was made to incorporate a detachable display unit, as taught by Ikeuchi, in the portable electronic device of Kfoury, because Kfoury already a detachable user interface may be a Braille output device or a display that has very large fonts (Col. 7, lines 49-56 of Kfoury).

The motivation of a detachable display unit incorporated in the portable electronic device combination would allow the user to separated the upper part and the base of the mobile telephone from each other. This would allow the user to read E-mail messages or desired Internet sites using the smaller and lightweight upper part while

Art Unit: 2618

7111 O 01111 O 1 1 1 a 1 1 B 0 1 1 T 0 1 1 0 0 1

the lower terminal body is placed a short distance away. This provides a mobile telephone with more portability (Page 4, Para 0054 of Ikeuchi).

As for claim 12, Ikeuchi teaches a portable terminal, wherein the first housing comprises a first short-range communication module, and the sub-housing further comprises a second short-range communication module, for short-range communication between the first housing and the sub-housing (Page 4, Para 0050 & 0054 of Ikeuchi).

As for claim 17, Ikeuchi teaches a portable terminal, wherein as the sub-housing is removed from the first housing, the short-range communication modules are activated and as the sub-housing is mounted to the first housing, the short-range communication modules are deactivated (Page 4, Para 0050 & 0054 of Ikeuchi).

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Janelle N. Young whose telephone number is (571) 272-2836. The examiner can normally be reached on Monday through Friday: 8:30 am through 4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on (571) 272-7882. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/791,564 Page 10

Art Unit: 2618

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JNY December 17, 2007

> NAY MAUNG SUPERVISORY PATENT EXAMINER